



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/826,805

04/16/2004

Shih-Chang Shei

JCLA12240

1474

7590

11/04/2005

J.C. Patents, Inc.
Suite 250
4 Venture
Irvine, CA 92618

EXAMINER

NADAV, ORI

ART UNIT

PAPER NUMBER

2811

DATE MAILED: 11/04/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/826,805

Applicant(s)

SHEI ET AL. 

Examiner

Ori Nadav

Art Unit

2811

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 August 2005.
- 2a) ☒ This action is FINAL. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-23, 26 and 27 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-23, 26 and 27 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 1-23 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The specification discloses a submount having a plurality of holes thereon and at least two LED chips on the submount, wherein at least one of the first patterned conductive film and the second patterned conductive film is commonly used by the LED chips. The submount is then diced to form grooves in separate mounts and LED chips. There is no support in the specification for a submount having a plurality of grooves thereon and at least two LED chips on the submount, wherein at least one of the first patterned conductive film and the second patterned conductive film is commonly used by the LED chips, as recited in claims 1 and 12.

The specification recites chip 210 connected to circuits of circuit board 226 via the first patterned conductive film and the second patterned conductive film. Since the circuits are integrated on the circuit board, then, even if none of the circuits on the circuit

Art Unit: 2811

board includes a chip, chip 210 is also integrated on the circuit board. Therefore, there is no support for chips connected to the first patterned conductive film and the second patterned conductive film, wherein no integrated circuit (IC) chip is connected to the first patterned conductive film and the second patterned conductive film.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-23 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The claimed limitations of a submount having a plurality of grooves thereon and at least two LED chips on the submount, wherein at least one of the first patterned conductive film and the second patterned conductive film is commonly used by a plurality of the LED chip, as recited in claims 1 and 12, are unclear as to whether applicant claims an intermediate product, wherein at least two LED chips are formed on a submount and at least one of the first patterned conductive film and the second patterned conductive film is commonly used by a plurality of the LED chip, or a final product, wherein a submount having a plurality of grooves and one LED chip is formed on the submount.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 3-9, 12, 14-20, 23 and 26-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Murata (6,483,184) in view of Durocher et al. (6,614,103).

Regarding claims 1 and 12, Murata teaches in figure 1 and related text a chip package structure, comprising:

a submount 18 having a first surface and a second surface opposite to the first surface, a plurality of grooves 18a on sidewalls of the submount;

a first patterned conductive film on a first part of the first surface 20, a first part of the second surface 26 and on a part of an inner wall of the grooves 28;

a second patterned conductive film on a second part of the first surface 20, a second part of the second surface 26 and a remaining part of the inner wall of the grooves 28; and

at least two chips on the mount (see figure 2c), wherein each of the chips has two electrodes (connected to 34) electrically connecting with the first and second patterned conductive films 20, respectively,

wherein at least one of the first patterned conductive film and the second patterned conductive film is commonly used by the LED chips (see figure 2c).

Art Unit: 2811

Murata does not teach using the package for a flip-chip light emitting diode chip, such that no integrated circuit (IC) chip is connected to the first patterned conductive film and the second patterned conductive film.

Durocher et al. teach in figure 12 using a package for at least two flip-chip light emitting diode chips 59.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to use at least two flip-chip light emitting diode chips in Murata's package in order to use the device in an application which requires a flip-chip light emitting diode chips. Note that a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. See *In re Casey*, 152 USPQ 235 (CCPA 1967) and *In re Otto*, 136 USPQ 458, 459 (CCPA 1963). Note that by using the package for a flip-chip light emitting diode chip, no integrated circuit (IC) chip will be connected to the first patterned conductive film and the second patterned conductive film.

Note further that a recitation in a preamble is generally not accorded any patentable weight where it merely recites the purpose of a process or the intended use of a structure, and where the body of the claim does not depend on the preamble for completeness but, instead, the process steps or structural limitations are able to stand alone. See *In re Hirao*, 535 F.2d 67, 190 USPQ 15 (CCPA 1976) and *Kropa v. Robie*, 187 F.2d 150, 152, 88 USPQ 478, 481 (CCPA 1951).

Art Unit: 2811

Regarding the claimed limitation of at least one of the first patterned conductive film and the second patterned conductive film is commonly used by LED chips, this feature is inherent in prior art's device, because at least one of the first patterned conductive film and the second patterned conductive film must be used by the plurality of the LED chips, since Murata (figure 2c) and Durocher et al. (figure 12) teach at least two LED chips connected on the same substrate.

Regarding claim 12, Murata does not teach a chip formed inside an indentation of the submount. Durocher et al. teach in figure 12 using a package for a flip-chip light emitting diode chip 59, wherein the light emitting diode chip 59 is formed inside an indentation of the submount. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to form prior art's light emitting diode chip inside an indentation of the submount in order to improve the characteristics of the device, and in order to provide better protection to the chip.

Regarding claims 3-9, 14-20, 23 and 26-27, prior art teaches m is a number of the grooves that are on a first sidewall of the submount and n is a number of the grooves that are on a second sidewall of the submount,

wherein the first sidewall and the second sidewall are adjacent to each other,

wherein the first sidewall and the second sidewall are opposite to each other,

wherein m is equal and not equal to n,

wherein m and n are 1 and greater than 1,

Art Unit: 2811

wherein the grooves are on disposed on a sidewall at a corner of the submount,
and

wherein an angle formed between the sidewall and the bottom of the indentation
is an obtuse angle.

Regarding claims 10 and 21, prior art does not teach using bumps comprise Sn-Pb alloy, Sn-Au alloy or Au. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to use bumps comprise Sn-Pb alloy, Sn-Au alloy or Au in prior art's device in order to improve the contact resistance of the device with known materials in the art.

Claims 2, 10-11, 13 and 21-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Murata and Durocher et al., as applied to claims 1 and 12 above, and further in view of Applicant Admitted Prior Art (AAPA).

Regarding claims 2, 10, 13 and 21, Murata and Durocher et al. teach substantially the entire claimed structure, as applied to claim 1 above, except two bumps disposed between the electrodes of the LED chip and the first patterned conductive film and the second patterned conductive film. AAPA teaches in figure 1B two bumps 106 disposed between the electrodes of the LED chip and the first patterned conductive film and the second patterned conductive film. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to use two bumps disposed between the electrodes of the LED chip and the first patterned conductive film and the second

Art Unit: 2811

patterned conductive film in prior art's device in order to reduce the contact resistance between the chip and the conductive films.

Regarding claims 11 and 22, Murata and Durocher et al. do not teach a submount comprises a material selected from the group consisting of aluminum nitride, boron nitride and zinc oxide. AAPA teaches a submount comprises a material selected from the group consisting of aluminum nitride, boron nitride and zinc oxide. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to use a submount comprises a material selected from the group consisting of aluminum nitride, boron nitride and zinc oxide in prior art's device in order to improve the contact resistance of the device with known materials in the art.

Response to Arguments

Applicant argues that there is support in the specification for a submount having a plurality of grooves thereon and at least two LED chips on the submount, wherein at least one of the first patterned conductive film and the second patterned conductive film is commonly used by the LED chips, as recited in claims 1 and 12, because the specification describes "at least two LED's" and "grooves 700a, 702b, 702c". Applicant further argues that the term "a" in the phrase "a light emitting diode" means more than 1.

Although the specification describes "at least two LED's" and "grooves 700a, 702b, 702c", the specification does not describe one device which includes a submount

Art Unit: 2811

having a plurality of grooves thereon and at least two LED chips on the submount, wherein at least one of the first patterned conductive film and the second patterned conductive film is commonly used by the LED chips, as recited in claims 1 and 12. Furthermore, the term "a" in the phrase "a light emitting diode" does not mean more than 1. The term "a" conventionally refers to a single element and not plurality of elements.

Applicant argues that Murata does not equally disclose the same structure as recited in independent claims 1 and 12, because elements 20, 26 and 28 are not commonly used by other chips.

Applicant has no support for a first patterned conductive film and a second patterned conductive film (elements 20, 26 and 28) being commonly used by a plurality of the LED chips, as recited in claims 1 and 12. The specification discloses a submount having a plurality of holes thereon and at least two LED chips on the submount, wherein at least one of the first patterned conductive film and the second patterned conductive film is commonly used by a plurality of the LED chip. The submount is then diced to form grooves in separate mounts and LED chips. There is no support in the specification for a submount having a plurality of grooves thereon and at least two LED chips on the submount, wherein at least one of the first patterned conductive film and the second patterned conductive film is commonly used by a plurality of the LED chip, as recited in claims 1 and 12. In any event, at least one of the first patterned conductive film and the second patterned conductive film is commonly used by LED chips, this

Art Unit: 2811

feature is inherent in prior art's device, because at least one of the first patterned conductive film and the second patterned conductive film must be used by the plurality of the LED chips, since Durocher et al. teach in figure 12 at least two LED chips connected on the same substrate.

Applicant argues that prior art does not teach one conductive film that can be shared with multiple LED's, because Durocher's two LED'S 59 are separated from each other.

Applicant's device is formed by using one conductive film shared with multiple LED's, and then separating the LED's from each other. Murata and Durocher also teach one conductive film shared with multiple LED's, and then separating the multiple LED'S from each other.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not

Art Unit: 2811

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ori Nadav whose telephone number is 571-272-1660. The examiner can normally be reached between the hours of 7 AM to 4 PM (Eastern Standard Time) Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Loke can be reached on 571-272-1657. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'Ori Nadav', with a stylized, cursive script.

O.N.
11/1/05

ORI NADAV
PRIMARY EXAMINER
TECHNOLOGY CENTER 2800